



TKZ Polná, spol. s r.o., Zahradní 572, 588 13 POLNÁ, CZ  
ID: 49973819, TID: CZ49973819, e-mail: export@tkz.cz  
tel:+420 567 155 271(273), mobile: +420 725 251 002  
www.tkz.cz



## Catalog sheet

# Door hinge TRIO 15 PP 22/M7 PH

### Usage:

Hinge adjustable in three directions. Into wooden frame.

The hinge is appropriate for fire protection testing. Warning: The fire-protection hinges have to be tested within the entire set, i.e., together with the door and the frame!

### Basic info:

**Catalogue number:** 5502

### Properties:

**Load:** 40.00

**Fire resistance:** yes (appropriate for fire protection testing)

**Main material:** steel

**Type of hinge:** Complete hinge

**Door :** Interior

**Orientation of door (window):** For right and left door (frame)

**According to door execution:** Rebate

**According to material of door leaf:** Wood


**According to doorframe:** Wooden casing

**Gripping upper part:** Screw in



**Gripping lower part:** Into fixing element

**Plug high:** 25 mm

Drawing:



Available variants:

	Code	Type	Package
	55020510	Yellow zinc	20 pcs
	55020530	Blue zinc	20 pcs

The owner of this website processes the cookies required for the functionality of the website, analytical purposes and marketing. More information [×](#)