



TKZ Polná, spol. s r.o., Zahradní 572, 588 13 POLNÁ, CZ
ID: 49973819, **TID:** CZ49973819, **e-mail:** export@tkz.cz
tel:+420 567 155 271(273), **fax:**+420 567 155 220
www.tkz.cz



Catalog sheet

Door hinge TRIO 15 SD PP DZ

Usage:

Lower part of hinge TRIO for wooden frame.

The hinge is appropriate for fire protection testing. Warning: The fire-protection hinges have to be tested within the entire set, i.e., together with the door and the frame!

Hinge is adjustable in three directions. There is a possibility to use decorative caps on hinges.

Basic info:

Catalogue number: 5429

Properties:

Load: 45.00

Fire resistance: yes (appropriate for fire protection testing)

Main material: steel

Type of hinge: Lower part

Door : Interior

Orientation of door (window): For right and left door (frame)

According to door execution: Rebate

According to doorframe: Solid wood


Gripping lower part: Screw in

Diameter of bolt rivet(s): Special screw-thread into wood \varnothing 8.7



Bolt(s) length: 80,5 mm

Plug high: 25 mm

Drawing:



Available variants:

	Code	Type	Package
	54290510	Yellow zinc	25 pcs
	54290530	Blue zinc	25 pcs

The owner of this website processes the cookies required for the functionality of the website, analytical purposes and marketing. More information [×](#)