



TKZ Polná, spol. s r.o., Zahradní 572, 588 13 POLNÁ, CZ
ID: 49973819, TID: CZ49973819, e-mail: export@tkz.cz
tel:+420 567 155 271(273), mobile: +420 725 251 002
www.tkz.cz



Catalog sheet

Door hinge TRIO 20 BP UR61 L S3

Usage:

Set of 3 hinges and 6 decorative metal caps in the same surface. Part of set is 12 screws for screwing upper part in. Hinges are adjustable in 3 directions. Caps are only put on upper and lower part of hinge.

The hinge is appropriate for fire protection testing. Warning: The fire-protection hinges have to be tested within the entire set, i.e., together with the door and the frame!

Basic info:

Catalogue number: 5579

Properties:

Load: 45.00

Fire resistance: yes (appropriate for fire protection testing)

Main material: steel

Type of hinge: Complete hinge

Door : Exterior

Orientation of door (window): For left door (frame)

According to door execution: Non rebated

According to material of door leaf: Wood

According to doorframe: Solid wood

Gripping upper part: Screw on


Gripping lower part: Screw in

Diameter of bolt rivet(s): Special screw-thread into wood $\varnothing 8$



Bolt(s) length: 57 mm

Plug high: 25,7 mm


Door hinge TRIO 20 BP UR61 L S3:



Available variants:

	Code	Type	Package
	55792700	Nickel shiny Action	1x set(s)
	55792D00	Nickel satén Action	1x set(s)

left door:



The owner of this website processes the cookies required for the functionality of the website, analytical purposes and marketing. More information [×](#)