



TKZ Polná, spol. s r.o., Zahradní 572, 588 13 POLNÁ, CZ  
ID: 49973819, TID: CZ49973819, e-mail: export@tkz.cz  
tel:+420 567 155 271(273), mobile: +420 725 251 002  
www.tkz.cz



## Catalog sheet

# Door hinge 80/10 SD M8x80 PH stainless steel

### Usage:

Lower part of hinge is suitable into wooden frame. Material stainless steel (suitable for outdoor use).

The hinge is appropriate for fire protection testing. Warning: The fire-protection hinges have to be tested within the entire set, i.e., together with the door and the frame!

### Basic info:

**Catalogue number:** 5456

### Properties:

**Load:** 20.00

**Fire resistance:** yes (appropriate for fire protection testing)

**Main material:** nerez

**Type of hinge:** Lower part

**Orientation of door (window):** For right and left door (frame)

**According to door execution:** Rebate

**According to doorframe:** Solid wood


**Gripping lower part:** Screw in

**Diameter of bolt rivet(s):** M8

**Bolt(s) length:** 80 mm

**Plug high:** 25,8 mm

Drawing:






**TKZ Polná**, spol. s r.o., Zahradní 572, 588 13 POLNÁ, CZ  
**ID:** 49973819, **TID:** CZ49973819, **e-mail:** export@tkz.cz  
**tel:**+420 567 155 271(273), **mobile:** +420 725 251 002  
**www.tkz.cz**



Available variants:

	Code	Type	Package
	54562000	Brushed	100 pcs

The owner of this website processes the cookies required for the functionality of the website, analytical purposes and marketing. More information [×](#)